

**Petition For Revival Of An Application For Patent Abandoned  
Unintentionally Under 37 CFR 1.137(b) (Small Entity)**

Docket No.  
887

In Re Application Of: Cynthia L. Cassel

| Application No. | Filing Date | Examiner  | Customer No. | Group Art Unit | Confirmation No. |
|-----------------|-------------|-----------|--------------|----------------|------------------|
| 09/767,413      | 01/23/2001  | Toan Pham | 33055        | 2632           | 2467             |

Invention: **Combination Breathing Monitor Alarm and Audio Baby Alarm**

Attention: Office of Petitions

Mail Stop Petition

COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, VA 22313-1450

08/24/2005 LWONDIM1 00000078 09767413

01 FC:2453

750.00 DP

NOTE: If information or assistance is needed in completing this form, please contact Petitions Information at (703) 305-9282.

The above-identified application became abandoned for failure to file a timely and proper response to a notice or action by the Patent and Trademark Office. The date of abandonment is the day after the expiration date of the period set for reply in the Office notice or action plus any extension of time actually obtained.

**APPLICANT HEREBY PETITIONS FOR REVIVAL OF THIS APPLICATION**

NOTE: A grantable petition requires the following items:

- (1) Petition fee;
- (2) Reply and/or issue fee;
- (3) Terminal disclaimer with disclaimer fee--required for all utility and plant applications filed before June 8, 1995; and for all design applications; and
- (4) Statement that the entire delay was unintentional.

1. ☐ A proposed reply to the above-identified Office Action:

☐ is enclosed. ☐ was filed on \_\_\_\_\_

The proposed reply is in the form of: \_\_\_\_\_

2. ☐ The issue fee:

☐ is enclosed. ☐ was paid on \_\_\_\_\_

3. ☒ Applicant claims small entity status. See 37 CFR 1.27

4. ☒ The abandoned application was a:

☐ design application. ☒ utility application. ☐ plant application.

5. ☐ A terminal disclaimer (and fee) disclaiming a period equivalent to the period of abandonment is enclosed.

6. ☒ Since this utility/plant application was filed on or after June 8, 1995, no terminal disclaimer is required.